

## DT FLOOR STANDING STAINLESS STEEL CABINET

CE

EAC

IEC

RoHS

UK  
CA



**Material** : Body : 1,50 mm 304 stainless steel.  
Door: 2,00 mm 304 stainless steel.  
Rear panel: 1,50 mm 304 stainless steel.  
Top cover: 1,50 mm 304 stainless steel.  
Plinth corners: 2,00 mm 304 stainless steel.  
Plinth panels: 1,50 mm 304 stainless steel.  
Gland Plate: 1,50 mm 304 stainless steel.

**Surface process** : Natural stainless surface process

**IP Rate** : IP 55 Single Door, IP54 Double Door


**Supply includes** : 1 set of panel body, 1 pcs door, 1 pcs rear panel,  
1 pcs top cover, 1 set of gland plate,  
1 set of enclosure combination kit,  
4 pcs lifting hook.

- Please see page 285-286 for technical drawings.
- Please contact the customer service for 316 stainless steel application or varnish-coated surface process.

**ATTENTION** : Mounting plate and other interior equipments chosen separately Page 207 - 208

## DT FLOOR STANDING STAINLESS STEEL CABINET

### ASSEMBLED DT STAINLESS STEEL ENCLOSURE



PRODUCT CODE	DOOR	MOUNTING PLATE PRODUCT CODE	DT ENCLOSURE SIZES (mm)		
			WIDTH (W) (mm)	HEIGHT (H) (mm)	DEPTH (D) (mm)
136.184.K	SINGLE	942.618	600	1800	400
136.185.K	SINGLE	942.618	600	1800	500
136.186.K	SINGLE	942.618	600	1800	600
136.188.K	SINGLE	942.618	600	1800	800
136.204.K	SINGLE	942.620	600	2000	400
136.205.K	SINGLE	942.620	600	2000	500
136.206.K	SINGLE	942.620	600	2000	600
136.208.K	SINGLE	942.620	600	2000	800
138.184.K	SINGLE	942.818	800	1800	400
138.185.K	SINGLE	942.818	800	1800	500
138.186.K	SINGLE	942.818	800	1800	600
138.188.K	SINGLE	942.818	800	1800	800
138.204.K	SINGLE	942.820	800	2000	400
138.205.K	SINGLE	942.820	800	2000	500
138.206.K	SINGLE	942.820	800	2000	600
138.208.K	SINGLE	942.820	800	2000	800
130.184.K	DOUBLE	942.018	1000	1800	400
130.185.K	DOUBLE	942.018	1000	1800	500
130.186.K	DOUBLE	942.018	1000	1800	600
130.188.K	DOUBLE	942.018	1000	1800	800
130.204.K	DOUBLE	942.020	1000	2000	400
130.205.K	DOUBLE	942.020	1000	2000	500
130.206.K	DOUBLE	942.020	1000	2000	600
130.208.K	DOUBLE	942.020	1000	2000	800
132.184.K	DOUBLE	942.218	1200	1800	400
132.185.K	DOUBLE	942.218	1200	1800	500
132.186.K	DOUBLE	942.218	1200	1800	600
132.188.K	DOUBLE	942.218	1200	1800	800
132.204.K	DOUBLE	942.220	1200	2000	400
132.205.K	DOUBLE	942.220	1200	2000	500
132.206.K	DOUBLE	942.220	1200	2000	600
132.208.K	DOUBLE	942.220	1200	2000	800

### DT STAINLESS STEEL PLINTH



**Material** : Plinth corners: 2,00 mm 304 stainless steel  
Plinth panels: 1,50 mm 304 stainless steel

**Supply includes** : 4 pcs support corner, 2 pcs front plinth panel, 2 pcs side plinth panel

H100 PRODUCT CODE	H200 PRODUCT CODE	DT ENCLOSURE WIDTH (mm)	DT ENCLOSURE DEPTH (mm)
911.164.K	911.264.K	600	400
911.165.K	911.265.K	600	500
911.166.K	911.266.K	600	600
911.168.K	911.268.K	600	800
911.184.K	911.284.K	800	400
911.185.K	911.285.K	800	500
911.186.K	911.286.K	800	600
911.188.K	911.288.K	800	800
911.104.K	911.204.K	1000	400
911.105.K	911.205.K	1000	500
911.106.K	911.206.K	1000	600
911.108.K	911.208.K	1000	800
911.124.K	911.224.K	1200	400
911.125.K	911.225.K	1200	500
911.126.K	911.226.K	1200	600
911.128.K	911.228.K	1200	800

### DT STAINLESS STEEL SIDE PANEL



**Material** : 1,50 mm 304 stainless steel

**Supply includes** : 2 pcs side panel (1 pair)

PRODUCT CODE	DT ENCLOSURE HEIGHT (mm)	DT ENCLOSURE DEPTH (mm)
932.418.K	1800	400
932.518.K	1800	500
932.618.K	1800	600
932.818.K	1800	800
932.420.K	2000	400
932.520.K	2000	500
932.620.K	2000	600
932.820.K	2000	800